

## METAL POLES WITHOUT RETURNS

Customer Name:				
Contact Telephone Number:				
MEASURING BAY WINDOWS Identify the type of bay window you have, take the measurements as indicated of the actual wall. We will work out the angles and lengths required allowing for bracket standoff etc. (alternatively write in the actual angles on the appropriate diagram if you know them) All poles are supplied in 2 parts, joining with a bracket in the middle of the centre window, all poles are supplied oversize to be cut down on site.				
SQUARE 2 BEND BAY	QUARE 2 BEND BAY LENGTHS REQU			
	B	Dimensions in MN	or INCHES	(Please tick)
		АВ	CD	
	A B D	ВС	A D	
SPLAYED 2 BEND BAY		LENGTHS REQUIRED		
	B	Dimensions in MN	or INCHES	(Please tick)
		АВ	CD	
	A	ВС	A D	
SPLAYED 4 BEND BAY	LENGTHS REQUIRED			
		Dimensions in MN	or INCHES	(Please tick)
		АВ	EF	
		BC	ВЕ	
	B	(Not less than 300mm)	AF	
	A   F	DE DE		
		(Not less than 300mm)		
SPLAYED 6 BEND BAY		LENGTHS REQUIRED		
		Dimensions in MN	or INCHES	(Please tick)
	'//////////////////////////////////////	АВ	GH	
	C	B C (Not less than 300mm)	C D (Not less than 300mm)	
	B	D E	CF	
	A	EF	F G	
		(Not less than 300mm)	(Not less than 300mm)	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	B G	
SINGLE BEND BAY	LENGTHS REQUIRED			
	11/11/11/11/11/11/11/11/11/11/11/11/11/	Dimensions in MN	or INCHES	(Please tick)
CENTRE BRACKET		АВ	ВС	
Please mark position of centre bracket or join with		Angle required	How many curtains	
an 'X' on diagram right	A		will you hang?	